SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Bahija Jallal

Gregory D. Plowman

(ii) TITLE OF INVENTION: DIAGNOSIS AND TREATMENT OF

PTP04 RELATED DISORDERS

(iii) NUMBER OF SEQUENCES: 18

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Lyon & Lyon

(B) STREET: 633 West Fifth Street

Suite 4700

(C) CITY: Los Angeles

(D) STATE: California

(E) COUNTRY: U.S.A. (F) ZIP: 90071-2066

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: 3.5" Diskette, 1.44 Mb

storage

(B) COMPUTER: IBM Compatible

(C) OPERATING SYSTEM: IBM P.C. DOS 5.0

(D) SOFTWARE: FastSEQ for Windows 2.0

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: To Be Assigned

(B) FILING DATE: Herewith

(C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: 60/047,222

(B) FILING DATE: May 20, 1997

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Warburg, Richard J.

(B) REGISTRATION NUMBER: 32,327 (C) REFERENCE/DOCKET NUMBER: 234/253

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (213) 489-1600 (B) TELEFAX: (213) 955-0440 (C) TELEX: 67-3510

C) IBBBR.

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 3580 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

CCCGGGTGCC CTCCCTCAAC CTACTTATAG ACTATTTTC TTGCTCTGCA GCATGGACCA 60 AAGAGAAATT CTGCAGAAGT TCCTGGATGA GGCCCAAAGC AAGAAAATTA CTAAAGAGGA 120 GTTTGCCAAT GAATTTCTGA AGCTGAAAAG GCAATCTACC AAGTACAAGG CAGACAAAAC 180 CTATCCTACA ACTGTGGCTG AGAAGCCCAA GAATATCAAG AAAAACAGAT ATAAGGATAT 240 TTTGCCCTAT GATTATAGCC GGGTAGAACT ATCCCTGATA ACCTCTGATG AGGATTCCAG 300 CTACATCAAT GCCAACTTCA TTAAGGGAGT TTATGGACCC AAGGCTTATA TTGCCACCCA 360 GGGTCCTTTA TCTACAACCC TCCTGGACTT CTGGAGGATG ATTTGGGAAT ATAGTGTCCT TATCATTGTT ATGGCATGCA TGGAGTATGA AATGGGAAAG AAAAAGTGTG AGCGCTACTG GGCTGAGCCA GGAGAGATGC AGCTGGAATT TGGCCCTTTC TCTGTATCCT GTGAAGCTGA 540 AAAAAGGAAA TCTGATTATA TAATCAGGAC TCTAAAAGTT AAGTTCAATA GTGAAACTCG 600 AACTATCTAC CAGTTTCATT ACAAGAATTG GCCAGACCAT GATGTACCTT CATCTATAGA 660 CCCTATTCTT GAGCTCATCT GGGATGTACG TTGTTACCAA GAGGATGACA GTGTTCCCAT 720 ATGCATTCAC TGCAGTGCTG GCTGTGGAAG GACTGGTGTT ATTTGTGCTA TTGATTATAC 780 ATGGATGTTG CTAAAAGATG GGATAATTCC TGAGAACTTC AGTGTTTTCA GTTTGATCCG 840 GGAAATGCGG ACACAGAGGC CTTCATTAGT TCAAACGCAG GAACAATATG AACTGGTCTA 900 CAATGCTGTA TTAGAACTAT TTAAGAGACA GATGGATGTT ATCAGAGATA AACATTCTGG AACAGAGAGT CAAGCAAAGC ATTGTATTCC TGAGAAAAAT CACACTCTCC AAGCAGACTC 1020 TTATTCTCCT AATTTACCAA AAAGTACCAC AAAAGCAGCA AAAATGATGA ACCAACAAAG 1080 GACAAAAATG GAAATCAAAG AATCTTCTTC CTTTGACTTT AGGACTTCTG AAATAAGTGC 1140 AAAAGAAGAG CTAGTTTTGC ACCCTGCTAA ATCAAGCACT TCTTTTGACT TTCTGGAGCT 1200 AAATTACAGT TTTGACAAAA ATGCTGACAC AACCATGAAA TGGCAGACAA AGGCATTTCC 1260 AATAGTTGGG GAGCCTCTTC AGAAGCATCA AAGTTTGGAT TTGGGCTCTC TTTTGTTTGA 1320 GGGATGTTCT AATTCTAAAC CTGTAAATGC AGCAGGAAGA TATTTTAATT CAAAGGTGCC 1380 AATAACACGG ACCAAATCAA CTCCTTTTGA ATTGATACAG CAGAGAGAAA CCAAGGAGGT 1440

GGACAGCAAG GAAAACTTTT CTTATTTGGA ATCTCAACCA CATGATTCTT GTTTTGTAGA GATGCAGGCT CAAAAAGTAA TGCATGTTTC TTCAGCAGAA CTGAATTATT CACTGCCATA TGACTCTAAA CACCAAATAC GTAATGCCTC TAATGTAAAG CACCATGACT CTAGTGCTCT TGGTGTATAT TCTTACATAC CTTTAGTGGA AAATCCTTAT TTTTCATCAT GGCCTCCAAG TGGTACCAGT TCTAAGATGT CTCTTGATTT ACCTGAGAAG CAAGATGGAA CTGTTTTTCC TTCTTCTCT TTGCCAACAT CCTCTACATC CCTCTTCTCT TATTACAATT CACATGATTC TTTATCACTG AATTCTCCAA CCAATATTTC CTCACTATTG AACCAGGAGT CAGCTGTACT AGCAACTGCT CCAAGGATAG ATGATGAAAT CCCCCCTCCA CTTCCTGTAC GGACACCTGA ATCATTTATT GTGGTTGAGG AAGCTGGAGA ATTCTCACCA AATGTTCCCA AATCCTTATC 1980 CTCAGCTGTG AAGGTAAAAA TTGGAACATC ACTGGAATGG GGTGGAACAT CTGAACCAAA 2040 GAAATTTGAT GACTCTGTGA TACTTAGACC AAGCAAGAGT GTAAAACTCC GAAGTCCTAA 2100 ATCAGAACTA CATCAAGATC GTTCTTCTCC CCCACCTCCT CTCCCAGAAA GAACTCTAGA STCCTTCTTT CTTGCCGATG AAGATTGTAT GCAGGCCCAA TCTATAGAAA CATATTCTAC 2220 2280 TAGCTATCCT GACACCATGG AAAATTCAAC ATCTTCAAAA CAGACACTGA AGACTCCTGG AAAAAGTTTC ACAAGGAGTA AGAGTTTGAA AATTTTGCGA AACATGAAAA AGAGTATCTG TAATTCTTGC CCACCAAACA AGCCTGCAGA ATCTGTTCAG TCAAATAACT CCAGCTCATT TCTGAATTTT GGTTTTGCAA ACCGTTTTTC AAAACCCAAA GGACCAAGGA ATCCACCACC 2460 AACTTGGAAT ATTTAATAAA ACTCCAGATT TATAATAATA TGGGCTGCAA GTACACCTGC 2520 AAATAAAACT ACTAGAATAC TGCTAGTTAA AATAAGTGCT CTATATGCAT AATATCAAAT 2580 ATGAAGATAT GCTAATGTGT TAATAGCTTT TAAAAGAAAA GCAAAATGCC AATAAGTGCC 2640 AGTTTTGCAT TTTCATATCA TTTGCATTGA GTTGAAAACT GCAAATAAAA GTTTGTCACT TGAGCTTATG TACAGAATGC TATATGAGAA ACACTTTTAG AATGGATTTA TTTTTCATTT 2760 TTGCCAGTTA TTTTTATTTT CTTTTACTTT TTTACATAAA CATAAACTTC AAAAGGTTTG 2820 TAAGATTTGG ATCTCAACTA ATTTCTACAT TGCCAGAATA TACTATAAAA AGTTAAAAAA 2880 AAACTTACTT TGTGGGTTGC AATACAAACT GCTCTTGACA ATGACTATTC CCTGACAGTT 2940 ATTTTTGCCT AAATGGAGTA TACCTTGTAA ATCTTCCCAA ATGTTGTGGA AAACTGGAAT ATTAAGAAAA TGAGAAATTA TATTTATTAG AATAAAATGT GCAAATAATG ACAATTATTT GAATGTAACA AGGAATTCAA CTGAAATCCT GATAAGTTTT AACCAAAGTC ATTAAATTAC 3120 CAATTCTAGA AAAGTAATCA ATGAAATATA ATAGCTATCT TTTGGTAGCA AAAGATATAA 3180 ATTGTATATG TTTATACAGG ATCTTTCAGA TCATGTGCAA TTTTTATCTA ACCAATCAGA 3240 AATACTAGTT TAAAATGAAT TTCTATATGA ATATGGATCT GCCATAAGAA AATCTAGTTC 3300 AACTCTAATT TTATGTAGTA AATAAATTGG CAGGTAATTG TTTTTACAAA GAATCCACCT 3360 GACTTCCCCT AATGCATTAA AAATATTTTT ATTTAAATAA CTTTATTTAT AACTTTTAGA 3420 AACATGTAGT ATTGTTTAAA CATCATTTGT TCTTCAGTAT TTTTCATTTG GAAGTCCAAT 3480 AGGGCAAATT GAATGAAGTA TTATTATCTG TCTCTTGTAG TACAATGTAT CCAACAGACA 3540 3580

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 807 amino acids(B) TYPE: amino acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:
- Met Asp Gln Arg Glu Ile Leu Gln Lys Phe Leu Asp Glu Ala Gln Ser
- Lys Lys Ile Thr Lys Glu Glu Phe Ala Asn Glu Phe Leu Lys Leu Lys 20 25 30
- Arg Gln Ser Thr Lys Tyr Lys Ala Asp Lys Thr Tyr Pro Thr Thr Val 35 40 45
- Ala Glu Lys Pro Lys Asn Ile Lys Lys Asn Arg Tyr Lys Asp Ile Leu
 50 55 60
- Pro Tyr Asp Tyr Ser Arg Val Glu Leu Ser Leu Ile Thr Ser Asp Glu
 65 70 75 80
- Asp Ser Ser Tyr Ile Asn Ala Asn Phe Ile Lys Gly Val Tyr Gly Pro 85 90 95
- Lys Ala Tyr Ile Ala Thr Gln Gly Pro Leu Ser Thr Thr Leu Leu Asp 100 105 110
- Phe Trp Arg Met Ile Trp Glu Tyr Ser Val Leu Ile Ile Val Met Ala 115 120 125
- Cys Met Glu Tyr Glu Met Gly Lys Lys Lys Cys Glu Arg Tyr Trp Ala 130 135 140
- Glu Pro Gly Glu Met Gln Leu Glu Phe Gly Pro Phe Ser Val Ser Cys 145 150 155 160
- Glu Ala Glu Lys Arg Lys Ser Asp Tyr Ile Ile Arg Thr Leu Lys Val 165 170 175
- Lys Phe Asn Ser Glu Thr Arg Thr Ile Tyr Gln Phe His Tyr Lys Asn 180 185 190
- Trp Pro Asp His Asp Val Pro Ser Ser Ile Asp Pro Ile Leu Glu Leu 195 200 205
- Ile Trp Asp Val Arg Cys Tyr Gln Glu Asp Asp Ser Val Pro Ile Cys 210 215 220
- Ile His Cys Ser Ala Gly Cys Gly Arg Thr Gly Val Ile Cys Ala Ile 225 230 235 240
- Asp Tyr Thr Trp Met Leu Leu Lys Asp Gly Ile Ile Pro Glu Asn Phe

				245					250					255	
Ser	Val	Phe	Ser 260	Leu	Ile	Arg	Glu	Met 265	Arg	Thr	Gln	Arg	Pro 270	Ser	Leu
Val	Gln	Thr 275	Gln	Glu	Gln	Tyr	Glu 280	Leu	Val	Tyr	Asn	Ala 285	Val	Leu	Glu
Leu	Phe 290	Lys	Arg	Gln	Met	Asp 295	Val	Ile	Arg	Asp	Lys 300	His	Ser	Gly	Thr
Glu 305	Ser	Gln	Ala	Lys	His 310	Cys	Ile	Pro	Glu	Lys 315	Asn	His	Thr	Leu	Gln 320
Ala	Asp	Ser	Tyr	Ser 325	Pro	Asn	Leu	Pro	330	Ser	Thr	Thr	ГÀв	Ala 335	Ala
Lys	Met	Met	Asn 340	Gln	Gln	Arg	Thr	Lys 345	Met	Glu	Ile	Lys	Glu 350	Ser	Ser
Ser	Phe	Asp 355	Phe	Arg	Thr	Ser	Glu 360	Ile	Ser	Ala	Lys	Glu 365		Leu	Val
Leu	His 370	Pro	Ala	Lys	Ser	Ser 375	Thr	Ser	Phe	Asp	Phe 380		Glu	Leu	Asn
Tyr 385		Phe	Asp	Lys	Asn 390	Ala	Asp	Thr	Thr	Met 395		Trp	Gln	Thr	Lys 400
Ala	Phe	Pro	Ile	Val 405	Gly	Glu	Pro	Leu	Gln 410		His	Gln	Ser	Leu 415	Asp
Leu	Gly	Ser	Leu 420		Phe	Glu	Gly	Cys 425		Asr.	Ser	Lys	9 Pro		Asn
Ala	Ala	Gly 435	/ Arg	Tyr	Phe	Asn	Ser 440		. Val	Pro	o Il∈	Thr 445		Thr	. Lys
Ser	Thr 450		o Ph∈	e Glu	. Leu	11e 455		ı Glr	n Arg	g Glu	1 Thi 460		s Glu	ı Val	. Asp
Ser 465		s Glı	ı Asr	n Phe	Ser 470		. Le	ı Glu	ı Sei	r Gli 479		o His	g Asp	Ser	Cys 480
Phe	e Val	l Gl	ı Met	Glr 485		a Glr	ı Ly	s Val	l Met 490		s Val	l Se	r Sei	c Ala 499	a Glu 5

Leu Asn Tyr Ser Leu Pro Tyr Asp Ser Lys His Gln Ile Arg Asn Ala

485

500	505	510

- Ser Asn Val Lys His His Asp Ser Ser Ala Leu Gly Val Tyr Ser Tyr 515 520 525
- Ile Pro Leu Val Glu Asn Pro Tyr Phe Ser Ser Trp Pro Pro Ser Gly 530 540
- Thr Ser Ser Lys Met Ser Leu Asp Leu Pro Glu Lys Gln Asp Gly Thr 545 550 555 560
- Val Phe Pro Ser Ser Leu Leu Pro Thr Ser Ser Thr Ser Leu Phe Ser 565 570 575
- Tyr Tyr Asn Ser His Asp Ser Leu Ser Leu Asn Ser Pro Thr Asn Ile 580 585 590
- Ser Ser Leu Leu Asn Gln Glu Ser Ala Val Leu Ala Thr Ala Pro Arg 595 600 605
- Ile Asp Asp Glu Ile Pro Pro Pro Leu Pro Val Arg Thr Pro Glu Ser 610 620
- Phe Ile Val Val Glu Glu Ala Gly Glu Phe Ser Pro Asn Val Pro Lys 625 630 635 640
- Ser Leu Ser Ser Ala Val Lys Val Lys Ile Gly Thr Ser Leu Glu Trp \$645\$ \$650\$
- Gly Gly Thr Ser Glu Pro Lys Lys Phe Asp Asp Ser Val Ile Leu Arg
- Pro Ser Lys Ser Val Lys Leu Arg Ser Pro Lys Ser Glu Leu His Gln 675 680 685
- Asp Arg Ser Ser Pro Pro Pro Pro Leu Pro Glu Arg Thr Leu Glu Ser 690 695 700
- Phe Phe Leu Ala Asp Glu Asp Cys Met Gln Ala Gln Ser Ile Glu Thr 705 710 715 720
- Tyr Ser Thr Ser Tyr Pro Asp Thr Met Glu Asn Ser Thr Ser Ser Lys
 725 730 735
- Gln Thr Leu Lys Thr Pro Gly Lys Ser Phe Thr Arg Ser Lys Ser Leu 740 745 750

106

234/253 Patent

Lys Ile Leu Arg Asn Met Lys Lys Ser Ile Cys Asn Ser Cys Pro Pro 755 760 765

Asn Lys Pro Ala Glu Ser Val Gln Ser Asn Asn Ser Ser Ser Phe Leu 770 780

Asn Phe Gly Phe Ala Asn Arg Phe Ser Lys Pro Lys Gly Pro Arg Asn 785 790 795 800

Pro Pro Pro Thr Trp Asn Ile 805

- (2) INFORMATION FOR SEQ ID NO: 3:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

23 base pairs

(B) TYPE:

nucleic acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

- (ix) FEATURE:
 - (D) OTHER INFORMATION:

The letter "Y" stands for C or T. The letter "V" stands for A, C or

G

The letter "R" stands for A or G. The letter "N" stands for A, C, G $\,$

or T.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

GAYTTYTGGV RNATGRTNTG GGA

23

- (2) INFORMATION FOR SEQ ID NO: 4:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

23 base pairs

(B) TYPE:

nucleic acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(ix) FEATURE:

(D) OTHER INFORMATION:

The letter "S" stands for C or G.
The letter "Y" stands for C or T.
The letter "N" stands for A, C, G

or T.

The letter "W" stands for A or T. The letter "R" stands for A or G.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

CGGCCSAYNC CNGCNSWRCA RTG

23

- (2) INFORMATION FOR SEQ ID NO: 5:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

8 amino acids

(B) TYPE:

amino acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(ii) MOLECULE TYPE:

peptide

- (ix) FEATURE:
 - (D) OTHER INFORMATION:

"Xaa" in positions 4 and 6 stand for an unspecified amino acid. "Xaa" in position 8 stands for either Glu or Asp.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

Asp Phe Trp Xaa Met Xaa Trp Xaa 1

(2) INFORMATION FOR SEQ ID NO: 6:

234/253 108

Patent

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

7 amino acids

(B) TYPE:

amino acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

(D) OTHER INFORMATION:

"Xaa" in positions 3 and 6 stand

for an unspecified amino acid.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

His Cys Xaa Ala Gly Xaa Gly

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

34 base pairs

(B) TYPE:

nucleic acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

CACCGTTCGA GTATTTCAGA TTGTGAAGAA GTCC

34

- (2) INFORMATION FOR SEQ ID NO: 8:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

34 base pairs

(B) TYPE:

nucleic acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

23

GGACTTCT	IC ACAATCTGAA ATACTCGAAC GGTG	34
(2) INFO	RMATION FOR SEQ ID NO: 9:	
(i)	SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO: 9:	
CCGTTATG	TG AGGAAGAGCC ACATTACAGG ACC	33
(2) INFO	RMATION FOR SEQ ID NO: 10:	
(i)	SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 33 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO: 10:	
GGTCCTG	IAA TGTGGCTCTT CCTCACATAA CGG	33
(2) INF	ORMATION FOR SEQ ID NO: 11:	
(i)	SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO: 11:	

GGCATGCATG GAGTATGAAA TGG

110 234/253 Patent

(2) INFORMATION FOR SEQ ID NO: 12:

(1) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

30 base pairs

(B) TYPE:

nucleic acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

CGTACATCCC AGATGAGCTC AAGAATAGGG

30

- (2) INFORMATION FOR SEQ ID NO: 13:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

10 amino acids

(B) TYPE:

amino acid

(C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(ii) MOLECULE TYPE:

peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

Tyr Pro Tyr Asp Val Pro Asp Tyr Ala Ser 5

- (2) INFORMATION FOR SEQ ID NO: 14:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH:

5 amino acids

amino acid

(B) TYPE: (C) STRANDEDNESS:

single

(D) TOPOLOGY:

linear

(ii) MOLECULE TYPE:

peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

His Cys Ser Ala Gly

(2) INFORMATION FOR SEQ ID NO: 15: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 amino acids amino acid (B) TYPE: (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15: Ser Trp Pro Pro Ser Gly Thr Ser Ser Lys Met Ser Leu Asp Asp Leu 5 Pro Glu Lys Gln Asp Gly Thr Val Phe Pro Ser Ser Leu Leu Pro 25 (2) INFORMATION FOR SEQ ID NO: 16: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16: Tyr Ser Leu Pro Tyr Asp Ser Lys His Gln Ile Arg Asn Ala Ser Asn Val Lys His His Asp Ser Ser Ala Leu Gly Val Tyr Ser Tyr (2) INFORMATION FOR SEQ ID NO: 17: (i) SEQUENCE CHARACTERISTICS: SSSD/90776. v01

(A) LENGTH: 30 amino acids (B) TYPE: amino acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

His Thr Leu Gln Ala Asp Ser Tyr Ser Pro Asn Leu Pro Lys Ser Thr
1 5 10 15

Thr Lys Ala Ala Lys Met Met Asn Gln Gln Arg Thr Lys Cys
20 25 30

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 802 amino acids
(B) TYPE: amino acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

Met Asp Gln Arg Glu Ile Leu Gln Gln Leu Leu Lys Glu Ala Gln Lys 1 5 10 15

Lys Lys Leu Asn Ser Glu Glu Phe Ala Ser Glu Phe Leu Lys Leu Lys 20 25 30

Arg Gln Ser Thr Lys Tyr Lys Ala Asp Lys Ile Tyr Pro Thr Thr Val

Ala Gln Arg Pro Lys Asn Ile Lys Lys Asn Arg Tyr Lys Asp Ile Leu

Pro Tyr Asp His Ser Leu Val Glu Leu Ser Leu Leu Thr Ser Asp Glu 65 70 75 80

Asp Ser Ser Tyr Ile Asn Ala Ser Phe Ile Lys Gly Val Tyr Gly Pro 85 90 95

Lys	Ala	Tyr	Ile	Ala	Thr	Gln	Gly	Pro	Leu	Ser	Thr	Thr	Leu	Leu	Asp
			100					105					110		

- Phe Trp Arg Met Ile Trp Glu Tyr Arg Ile Leu Val Ile Val Met Ala 115 120 125
- Cys Met Glu Phe Glu Met Gly Lys Lys Lys Cys Glu Arg Tyr Trp Ala 130 135 140
- Glu Pro Gly Glu Thr Gln Leu Gln Phe Gly Pro Phe Ser Ile Ser Cys 145 150 155 160
- Glu Ala Glu Lys Lys Lys Ser Asp Tyr Lys Ile Arg Thr Leu Lys Ala 165 170 175
- Lys Phe Asn Asn Glu Thr Arg Ile Ile Tyr Gln Phe His Tyr Lys Asn 180 185 190
- Trp Pro Asp His Asp Val Pro Ser Ser Ile Asp Pro Ile Leu Gln Leu 195 200 205
- Ile Trp Asp Met Arg Cys Tyr Gln Glu Asp Asp Cys Val Pro Ile Cys 210 215 220
- Ile His Cys Ser Ala Gly Cys Gly Arg Thr Gly Val Ile Cys Ala Val 225 230 235 240
- Asp Tyr Thr Trp Met Leu Leu Lys Asp Gly Ile Ile Pro Lys Asn Phe 245 250 255
- Ser Val Phe Asn Leu Ile Gln Glu Met Arg Thr Gln Arg Pro Ser Leu 260 265 270
- Val Gln Thr Gln Glu Gln Tyr Glu Leu Val Tyr Ser Ala Val Leu Glu 275 280 285
- Leu Phe Lys Arg His Met Asp Val Ile Ser Asp Asn His Leu Gly Arg 290 295 300
- Glu Ile Gln Ala Gln Cys Ser Ile Pro Glu Gln Ser Leu Thr Val Glu 305 310 315 320
- Ala Asp Ser Cys Pro Leu Asp Leu Pro Lys Asn Ala Met Arg Asp Val
- Lys Thr Thr Asn Gln His Ser Lys Gln Gly Ala Glu Ala Glu Ser Thr 340 345 350

Gl	ly G	Яly	Ser 355	Ser	Leu	Gly	Leu	Arg 360	Thr	Ser	Thr	Met	Asn 365	Ala	Glu	Glu
Gl		eu 70	Val	Leu	His	Ser	Ala 375	Lys	Ser	Ser	Pro	Ser 380	Phe	Asn	Cys	Leu
G1 38		eu	Asn	Cys	Gly	Cys 390	Asn	Asn	Lys	Ala	Val 395	Ile	Thr	Arg	Asn	Gly 400
G]	ln A	la	Arg	Ala	Ser 405	Pro	Val	Val	Gly	Glu 410	Pro	Leu	Gln	Lys	Tyr 415	Gln
Se	er L	eu	Asp	Phe 420	Gly	Ser	Met	Leu	Phe 425	Gly	Ser	Cys	Pro	Ser 430	Ala	Leu
Pr	:0 I	le	Asn 435	Thr	Ala	Asp	Arg	Tyr 440	His	Asn	Ser	Lys	Gly 445	Pro	Val	Lys
Ar		hr 50	Lys	Ser	Thr	Pro	Phe 455	Glu	Leu	Ile	Gln	Gln 460	Arg	Lys	Thr	Asn
As 46	_	eu	Ala	Val	Gly	Asp 470	Gly	Phe	Ser	Cys	Leu 475	Glu	Ser	Gln	Leu	His 480
Gl	Lu H	lis	Tyr	Ser	Leu 485	Arg	Glu	Leu	Gln	Val 490	Gln	Arg	Val	Ala	His 495	Val
Se	er S	er	Glu	Glu 500	Leu	Asn	Tyr	Ser	Leu 505	Pro	Gly	Ala	Cys	Asp 510	Ala	Ser
C?	/s V	al	Pro 515	Arg	His	Ser	Pro	Gly 520	Ala	Leu	Arg	Val	His 525	Leu	Tyr	Thr
Se		.eu 30	Ala	Glu	Asp	Pro	Tyr 535	Phe	Ser	Ser	Ser	Pro 540	Pro	Asn	Ser	Ala
A s	-	Ser	Lys	Met	Ser	Phe 550	Asp	Leu	Pro	Glu	Lys 555	Gln	Asp	Gly	Ala	Thr 560
Se	er P	°ro	Gly	Ala	Leu 565	Leu	Pro	Ala	Ser	Ser 570	Thr	Thr	Ser	Phe	Phe 575	Tyr
Se	∍r A	sn	Pro	His 580	Asp	Ser	Leu	Val	Met 585	Asn	Thr	Leu	Thr	Ser 590	Phe	Ser

Pro Pro Leu Asn Gln Glu Thr Ala Val Glu Ala Pro Ser Arg Arg Thr

595 600

qaA	Asp	Glu	Ile	Pro	Pro	Pro	Leu	Pro	Glu	Arg	Thr	Pro	Glu	Ser	Phe
	610					615					620				

- Ile Val Val Glu Glu Ala Gly Glu Pro Ser Pro Arg Val Thr Glu Ser 625 630 635 640
- Leu Pro Leu Val Val Thr Phe Gly Ala Ser Pro Glu Cys Ser Gly Thr 645 650 655
- Ser Glu Met Lys Ser His Asp Ser Val Gly Phe Thr Pro Ser Lys Asn 660 650 670
- Val Lys Leu Arg Ser Pro Lys Ser Asp Arg His Gln Asp Gly Ser Pro 675 680 685
- Pro Pro Pro Leu Pro Glu Arg Thr Leu Glu Ser Phe Phe Leu Ala Asp 690 695 700
- Glu Asp Cys Ile Gln Ala Gln Ala Val Gln Thr Ser Ser Thr Ser Tyr 705 710 715 720
- Pro Glu Thr Thr Glu Asn Ser Thr Ser Ser Lys Gln Thr Leu Arg Thr 725 730 735
- Pro Gly Lys Ser Phe Thr Arg Ser Lys Ser Leu Lys Ile Phe Arg Asn 740 745 750
- Met Lys Lys Ser Val Cys Asn Ser Ser Ser Pro Ser Lys Pro Thr Glu
 755 760 765
- Arg Val Gln Pro Lys Asn Ser Ser Ser Phe Leu Asn Phe Gly Phe Gly 770 775 780
- Asn Arg Phe Ser Lys Pro Lys Gly Pro Arg Asn Pro Pro Ser Ala Trp 785 790 795 800

Asn Met